WF Education Group - Safety Data Sheet

AM1246

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.2 Revision date: 16 April 2021

Date printed: 07 June 2021

Section 1. Identification

1.1 Product Identifier AM1246

Product Name AMMONIUM DICHROMATE pure 100g.

CAS Number 7789-09-5

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

Molecular Formula (NH,), Cr, O, =252.06

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier WF Education Group



Phoenix House

Battlefield Enterprise Park

Stafford Drive Shrewsbury Shropshire SY1 3FE

UNITED KINGDOM

Phone +44(0)1743 812200
Email sales@wf-education.com
Website www.timstar.co.uk

1.4 Emergency Telephone (08:30-17:00) +44(0)1743 812200

(24hr) 112 (Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Oxidising solid, category 2 H272: May intensify fire; oxidizer.

Acute toxicity, category 2 (inhalation)

H30: Fatal if inhaled.

Acute toxicity, category 3 (oral)

H301: Toxic if swallowed.

Skin corrosion/irritation, category 1B H314: Causes severe skin burns and eye damage.

Acute toxicity, category 4 (dermal) H312: Harmful in contact with skin.

Respiratory sensitization, category 1 H334: May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Skin sensitization, category 1 H317: May cause an allergic skin reaction.

Germ cell mutagenicity, category 1B H340: May cause genetic defects.

Carcinogenicity, category 1B H350: May cause cancer.

Reproductive toxicity, category 1B H360: May damage fertility or the unborn child.

Spec target organ tox - repeat, category 1 H372: Causes damage to organs through prolonged or repeated exposure.

Hazard to aquatic environment, category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms











Hazard Statements

May intensify fire; oxidizer. May cause cancer. May cause genetic defects. May damage fertility or the unborn child. Fatal if inhaled. Toxic if swallowed. Causes damage to organs through prolonged or repeated exposure. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Keep away from heat / sparks/open flames/hot surfaces - No smoking. Keep / Store away from clothing / combustible materials. Take any precaution to avoid mixing with combustibles... Wear protective gloves / protective clothing / eye protection.

Section 3. Composition

3.1 Substances

| Component | CAS No. | EEC No. | REACH No. | Conc w/w | CLP Classification (1272/2008/CE) |
|---------------------|-----------|-----------|-----------|----------|--|
| Ammonium Dichromate | 7789-09-5 | 232-143-1 | | >99% | Ox. Sol. 2,Acute Tox. 2 (I),Acute Tox. 3 (O),Skin Corr. 1B,Acute Tox. 4 (D),Resp. Sens. 1,Skin Sens. 1,Muta. |
| | | | | | 1B,Carc. 1B,Repr. 1B,STOT RE 1,Aquatic Chronic 1 |

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. Unless contact has been

slight OBTAIN MEDICAL ATTENTION

Thoroughly wash off skin with soap and water. Remove contaminated clothing immediately and wash before reuse. Unless contact has been slight OBTAIN MEDICAL ATTENTION Skin

Inhalation Remove from exposure. Irrigate mouth and nasal passage with water. OBTAIN MEDICAL ATTENTION.

Ingestion If conscious give several glasses of water to drink and 5-10g of ascorbic acid dissolved in water. Do not induce

vomiting. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

5.2 Special hazards arising from the substance or mixture

Hazards Can decompose explosively above 225C. Contact with combustible material may cause a fire.

5.3 Advice for firefighters

Advice for firefighters Fire-fighters should wear protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Avoid breathing dust-wear respiratory protective equipment. Evacuate area immediately. Do not allow general

use of area until it is safe to do so.

6.2 Environmental precautions

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs. Keep combustible material away from spillage.

6.3 Methods and material for containment and cleaning up

Major Spillage Shovel/sweep up into container for removal Small areas of contamination should be treated with ferrous sulphate

solution to reduce the chromium to the safer (trivalent) form and the pH adjusted to 8.5 prior to disposal. Wash

area down with copious amounts of water.

Minor Spillage Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable

container for disposal. Carry out this operation under fume extraction. Small areas of contamination should be treated with ferrous sulphate solution to reduce the chromium to the safer (trivalent) form and the pH adjusted to

8.5 prior to disposal. Wash area down with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Store in a suitable area for oxidising agents. Do not store on wooden surfaces. Keep well separated from combustible materials.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

| Component | CAS No | Concentration | Workplace Exposure Limits | | | |
|------------------------|-----------|---------------|---------------------------|---|--------------------------|--|
| | | | Long Term (8hr TWA) | | Short Term 15min period) | |
| Ammonium Dichromate | 7789-09-5 | >99% | - | - | 0.05 ppm - | |

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

maintained chemical cartridge respirator, or use self contained breathing apparatus.

Hand Protection Use nitrile gloves or PVC gauntlets.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Orange red crystals.

Odour Odourless.

pH 4 @ 20°C solution.

Boiling Point Not available 180°C Melting Point Flash Point Not applicable Not applicable Upper Flammable Limit

Lower Flammable Limit Not applicable Auto Ignition Not applicable

Explosive Properties Exhibits explosive properties but fails to meet the acceptance criteria for a Class 1 explosive.

Oxidising Properties Mildly oxidising in solution, strongly oxidising in strong acid solution.

Vapour Pressure Not applicable Relative Density 2.1500 Water Solubility 27%

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions starts to decompose at 180C, becomes self sustaining at 225C.

10.3 Possibility of hazardous No data available.

reactions

10.4 Conditions to Avoid Avoid exposure to heat.

10.5 Incompatable Materials Many organic compounds. Combustible materials. Acids. Alkalis.

None unusual. Decomposition begins at 180 C, with spontaneous ignition. Material swells greatly with evolution Hazardous Decomposition Products

of heat and nitrogen

Section 11. Toxicological Information

11.1 Information on toxicological effects

The solid and solutions will cause severe irritation and corneal damage. Eyes

Skin The solid and solutions will highly irritating and corrosive to the skin, local inflammation can occur from 5%

solutions. Contact with broken skin may lead to ulcers especially on the hands and forearms. Can be absorbed through the skin and cause systemic poisoning and subsequent kidney damage. May cause sensitisation by skin

contact.

LD50 Skin 1170mg/kg Rabbit

Ingestion Ingestion will cause cause dental discolouration, nausea, vomiting, diarrhoea, and cardiovascular shock due to

blood loss into the gastrointestinal tract. Necrosis of the liver and kidneys may also occur.

LD50 Oral 54mg/kg Rat

Inhalation Inhalation of dust will produce severe irritation of the eyes, nose, throat and respiratory tract. Causes

inflammation of the larynx, bronchitis, and ulceration of the nasal septum.

LD50 Inhalation Not available TCLoNot available

Carcinogenicity No information is available. No information is available. Mutagenicity Reproductive Effects No information is available.

Section 12. Ecological

Chromium (VI) will eventually be reduced to Chromium (III) by organic matter in water. Unlikely to bio-12.1 Toxicity

accumulate. Toxicity to fish-LC50 (Mosquito fish) 96hr - 136 mg/l. Very Toxic to aquatic organisms and may

cause long term adverse effects in the aquatic environment.

LC50 Algal Not available LC50 Crustacea Not available LC50 Fish Not available Persistence and No data available.

degradability

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil No data available.

Results of PBT & vPvB

assessment

Assessment not required.

12.6 Other adverse effects None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Never dispose of into water courses or sewerage systems. Treat with ferrous sulphate solution to reduce the

chromium to the safer (trivalent) form. The pH should be adjusted to 8.5, with sodium hydroxide or sodium

carbonate, prior to disposal.

Contaminated Packaging Use a licensed waste disposer.

Section 14. Transport Information

1439 14.1 UN Number

14.2 Proper Shipping Name Ammonium dichromate

14.3 Transport classes

UN classification 5.1 Subsidiary hazard(s) None Transport category 2 ADR Hazard ID 50 **Tunnel Restriction Code** \mathbf{E} П

14.4 Packing Group

14.5 Environment hazards See section 12.

14.6 Special precautions for

user

No special precautions required.

14.7 Transport in bulk Not transported in bulk.



Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Oxidising solid, category 2; Acute toxicity, category 2 (inhalation); Acute toxicity, category 3 (oral); Skin

corrosion/irritation, category 1B; Acute toxicity, category 4 (dermal); Respiratory sensitization, category 1; Skin sensitization, category 1; Germ cell mutagenicity, category 1B; Carcinogenicity, category 1B; Reproductive toxicity,

category 1B; Spec target organ tox - repeat, category 1; Hazard to aquatic environment, category 1

Signal word Danger

Hazard Pictograms











Hazard Statements H272, H350, H340, H360, H330, H301, H372, H312, H314, H334, H317, H410

> May intensify fire; oxidizer. May cause cancer. May cause genetic defects. May damage fertility or the unborn child. Fatal if inhaled. Toxic if swallowed. Causes damage to organs through prolonged or repeated exposure. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting

effects.

Hazard Statements (Packs of 500ml/g or less)

H272, H350, H340, H360, H330, H301, H372, H312, H314

May intensify fire; oxidizer. May cause cancer. May cause genetic defects. May damage fertility or the unborn child. Fatal if inhaled. Toxic if swallowed. Causes damage to organs through prolonged or repeated exposure. Harmful in contact with skin. Causes severe skin burns and eye damage.

Precautionary Statements P210, P220, P221, P280

Keep away from heat / sparks/open flames/hot surfaces - No smoking. Keep / Store away from clothing / combustible materials. Take any precaution to avoid mixing with combustibles... Wear protective gloves / protective clothing / eye protection.

Precautionary Statements (Packs of 500ml/g or less) P210, P220, P280

 $Keep\ away\ from\ heat\ /\ sparks/open\ flames/hot\ surfaces\ -\ No\ smoking.\ Keep\ /\ Store\ away\ from\ clothing\ /\ combustible\ materials.\ Wear\ protective\ gloves\ /\ protective\ clothing\ /\ eye\ protection.$

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.2 (Supercedes revision 1.1)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 07 June 2021

Copyright: 2021 WF Education Group

Ref: AM1246