WF Education Group - Safety Data Sheet

CH2118

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 2.0 (Replaces revision 1.1 of 16 April 2021)

Revision date: Date printed: 19 April 2021 07 June 2021

Section 1. Identification

1.1 Product Identifier CH2118

Product Name CHROMIUM (III) SULPHATE BASIC 100g.

CAS Number 39380-78-4

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier WF Education Group



Phoenix House

Battlefield Enterprise Park

Stafford Drive Shrewsbury Shropshire SY1 3FE

UNITED KINGDOM

Phone +44(0)1743 812200
Email sales@wf-education.com
Website www.timstar.co.uk

1.4 Emergency Telephone (08:30-17:00) +44(0)1743 812200

(24hr) 112 (Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Skin corrosion/irritation, category 1B

H314: Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms



Hazard Statements Causes severe skin burns and eye damage.

Precautionary Statements

Do not breathe fume/vapours. Wear protective gloves / protective clothing / eye protection. Wash thoroughly after handling. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Section 3. Composition

3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Chromium (iii) sulphate	39380-78-			99%	Skin Corr. 1B
basic	4				

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists

OBTAIN MEDICAL ATTENTION.

Skin Thoroughly wash off skin with soap and water. Remove contaminated clothing immediately and wash before re-

use.

Inhalation Remove from exposure.

Ingestion Wash out the patients mouth thoroughly with water. In severe cases or if exposure has been great, OBTAIN

MEDICAL ATTENTION.

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

5.2 Special hazards arising from the substance or mixture

Hazards May evolve toxic fumes if involved in a fire.

5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Avoid breathing dust-wear respiratory protective equipment. Do not allow other people to enter area.

6.2 Environmental precautions

Environmental Motify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable

container for disposal. Carry out this operation under fume extraction.

Minor Spillage Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable

container for disposal. Carry out this operation under fume extraction.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations to a minimum.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits				
			Long Term (8hr TWA)		Short Term 15min period)		
Chromium (iii) sulphate basic	39380-78-4	99%	-	-	-	-	

Exposure data source(s) No occupational exposure data currently available.

8.2 Exposure controls

Respiratory Protection If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.

Hand Protection Wear gloves.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Green powder. Appearance No specific odour. Odour Not applicable pН **Boiling Point** Not available Melting Point Not applicable Flash Point Not applicable Upper Flammable Limit Not applicable Lower Flammable Limit Not applicable Auto Ignition Not applicable **Explosive Properties** No. Oxidising Properties No.

Vapour Pressure Not applicable Relative Density Not available

Water Solubility Moderately soluble in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous No data available.

reactions

10.4 Conditions to Avoid Prolonged heat.

10.5 Incompatable Materials No specific materials to avoid. Hazardous Decomposition Toxic fumes of sulphur dioxide.

Products

Section 11. Toxicological Information

11.1 Information on toxicological effects

Contact with the solid or dust will be irritating to the eyes. Causes serious eye damage. Eyes

Skin Causes skin irritation and may cause burns if contact is prolonged

LD50 Skin Not available LD50 Oral Not available

Inhalation Inhalation of dust will produce irritation of the eyes, nose, throat and respiratory tract.

LD50 Inhalation Not available **TCLo** Not available

Carcinogenicity Not considered to be a carcinogen. Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified.

Section 12. Ecological

12.1 Toxicity No specific environmental hazard.

LC50 Algal Not available LC50 Crustacea Not available LC50 Fish Not available 12.2 Persistence and No data available.

degradability

12.3 Bioaccumulative potential No data available. 12.4 Mobility in soil No data available.

Results of PBT & vPvB

assessment

Assessment not required.

12.6 Other adverse effects None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Dispose of to a licensed land fill site. Contaminated Packaging Use a licensed waste disposer.

Section 14. Transport Information

14.1 UN Number 3262

14.2 Proper Shipping Name Corrosive solid, basic, inorganic, N.O.S.

(Chromium Sulphate Basic)

14.3 Transport classes

UN classification 8
Subsidiary hazard(s) None
Transport category 3
ADR Hazard ID 80
Tunnel Restriction Code E

14.4 Packing Group III

14.5 Environment hazards See section 12.

14.6 Special precautions for No special precautions required.

user

14.7 Transport in bulk Not transported in bulk.



15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Skin corrosion/irritation, category 1B

Signal word Danger

Hazard Pictograms



Hazard Statements H314

Causes severe skin burns and eye damage.

Precautionary Statements P260, P280, P264, P301+P312, P302+P352, P304+P340

Do not breathe fume/vapours. Wear protective gloves / protective clothing / eye protection. Wash thoroughly after handling. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position

CORROSIVE

comfortable for breathing.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 2.0 (Supercedes revision 1.1)

Revision date: 19 April 2021

Reviewed by chemist: 19 April 2021

Printed date: 07 June 2021

Copyright: 2021 WF Education Group



Page 5 of 5