

**Section 1. Identification****1.1 Product Identifier** LE3402Product Name LEAD ACETATE 3H<sub>2</sub>O pure 500g.

CAS Number 6080-56-4

REACH Registration No A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date.

Molecular Formula  $Pb(CH_3CO_2)_2 \cdot 3H_2O = 379.33$ **1.2 Relevant identified uses of the substance or mixture & uses advised against**

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

**1.3 Supplier** WF Education GroupPhoenix House  
Battlefield Enterprise Park  
Stafford Drive  
Shrewsbury  
Shropshire  
SY1 3FE  
UNITED KINGDOM

Phone +44(0)1743 812200

Email sales@wf-education.com

Website www.timstar.co.uk

**1.4 Emergency Telephone** (08:30-17:00) +44(0)1743 812200  
(24hr) 112  
(Have this document to hand)**Section 2. Hazards Identification****2.1 Classification of the substance or mixture****Classification according to regulation 1272/2008/EC**

Reproductive toxicity, category 1A

Spec target organ tox - repeat, category 2

Hazard to aquatic environment, category 1

Hazard to aquatic environment, category 1

H360: May damage fertility or the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

**2.2 Label elements****Labelling according to regulation 1272/2008/EC**

Signal word Danger

Hazard Pictograms



Hazard Statements	May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Precautionary Statements	Use personal protective equipment as required. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

## Section 3. Composition

### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Lead Acetate	6080-56-4	206-104-4		>84%	Repr. 1A,STOT RE 2,Aquatic Acute 1,Aquatic Chronic 1

## Section 4. First Aid

### 4.1 Description of first aid measures

Eyes	Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.
Skin	Thoroughly wash off skin with soap and water. Remove contaminated clothing immediately and wash before re-use.
Inhalation	Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. OBTAIN MEDICAL ATTENTION.
Ingestion	If conscious wash out mouth thoroughly with water and give water or milk to drink. Do not induce vomiting. OBTAIN MEDICAL ATTENTION URGENTLY.
Personal protection for first aiders	Wear protective gloves / eye protection.

### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

## Section 5. Fire Fighting

### 5.1 Extinguishing media

Extinguishing Media	Consider what other flammable materials are present and act accordingly. Use water spray to keep fire exposed containers cool.
Unsuitable Media	Nothing specified.

### 5.2 Special hazards arising from the substance or mixture

Hazards	May evolve toxic fumes if involved in a fire.
---------	---

### 5.3 Advice for firefighters

Advice for firefighters	Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.
-------------------------	--

## Section 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection	Evacuate area immediately. Do not allow other people to enter area. Avoid breathing dust-wear respiratory protective equipment.
---------------------	---

### 6.2 Environmental precautions

Environmental	Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.
---------------	--

### 6.3 Methods and material for containment and cleaning up

Major Spillage	Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable container for disposal. Carry out this operation under fume extraction.
Minor Spillage	Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable container for disposal. Carry out this operation under fume extraction.

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

## Section 7. Storage & Handling

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations to a minimum.

### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Keep well separated from food and food containers.

### 7.3 Specific end use(s)

See section 1.2.

## Section 8. Workplace Exposure & Personal Protection

### 8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits	
			Long Term (8hr TWA)	Short Term 15min period
Lead Acetate	6080-56-4	>84%	-	-

Exposure data source(s) No occupational exposure data currently available.

### 8.2 Exposure controls

Respiratory Protection	Use L.E.V. or natural ventilation to reduce dust concentrations to a minimum. If not, use a well maintained chemical cartridge respirator, or use self contained breathing apparatus.
Hand Protection	Wear gloves.
Eye Protection	Use tightly fitting chemical splash proof glasses or goggles.
Skin Protection	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.
Special Hazards	No special precautions required.

## Section 9. Physical & Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance	White crystalline solid.
Odour	Odourless.
pH	Not applicable
Boiling Point	Not available
Melting Point	75°C (decomposes)
Flash Point	Not applicable
Upper Flammable Limit	Not applicable
Lower Flammable Limit	Not applicable
Auto Ignition	Not applicable
Explosive Properties	No.
Oxidising Properties	No.
Vapour Pressure	Not applicable
Relative Density	Not available
Water Solubility	Very soluble in water.

### 9.2 Other information

No data available.

## Section 10. Stability & Reactivity

10.1	Reactivity	No data available.
10.2	Chemical Stability	Stable under normal conditions
10.3	Possibility of hazardous reactions	No data available.
10.4	Conditions to Avoid	Hot surfaces and naked flames.
10.5	Incompatible Materials	Strong oxidising agents.
10.6	Hazardous Decomposition Products	Burning will produce smoke, carbon monoxide and/or carbon dioxide.

## Section 11. Toxicological Information

### 11.1 Information on toxicological effects

Eyes	Contact with the solid or dust will be irritating to the eyes.
Skin	Contact with the solid or dust will be irritating to the skin.
LD50 Skin	Not available
Ingestion	Ingestion of large amounts will cause severe internal irritation and damage, nausea, vomiting, abdominal pains and diarrhoea. Systemic effects may follow and may include ringing of the ears, dizziness, elevated blood pressure, blurred vision and tremors.
LD50 Oral	4665mg/kg Rat
Inhalation	Inhalation of dust will produce irritation of the eyes, nose, throat and respiratory tract. Inhalation of the dust can result in symptoms similar to those due to ingestion.
LD50 Inhalation	Not available
TCLo	Not available
Carcinogenicity	Must be considered to have carcinogenic properties.
Mutagenicity	Significant increases in chromosome aberrations have been reported.
Reproductive Effects	Reproductive toxicity, category 1A.
Other Information	Chronic lead poisoning may occur from dust inhalation. Anaemia and other blood effects are the most common. Early symptoms of poisoning include fatigue, headache, sleep disturbances, aching bones and muscles, gastrointestinal disturbances and reduced appetite. Large doses affect the central nervous system causing severe headaches, convulsions, coma, kidney damage and death.

## Section 12. Ecological

12.1	Toxicity	Lead salts are harmful to the environment. Very Toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment.
	LC50 Algal	Not available
	LC50 Crustacea	Not available
	LC50 Fish	Not available
12.2	Persistence and degradability	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility in soil	No data available.
12.5	Results of PBT & vPvB assessment	Assessment not required.
12.6	Other adverse effects	None known at present.

## Section 13. Disposal Considerations

### 13.1 Waste treatment methods

- Disposal Methods      Dispose of to a licensed land fill site.  
Contaminated Packaging      Use a licensed waste disposer.

## Section 14. Transport Information

- 14.1 UN Number**                      1616  
**14.2 Proper Shipping Name**      Lead acetate  
**14.3 Transport classes**  
UN classification                      6.1  
Subsidiary hazard(s)                None  
Transport category                    2  
ADR Hazard ID                        60  
Tunnel Restriction Code            E  
**14.4 Packing Group**                    III  
**14.5 Environment hazards**          Marine pollutant.  
**14.6 Special precautions for user**    No special precautions required.  
**14.7 Transport in bulk**                Not transported in bulk.



## Section 15. Regulatory Information

### 15.1 Safety, health and environment regulations specific for substance/mixture.

#### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification                      Reproductive toxicity, category 1A; Spec target organ tox - repeat, category 2; Hazard to aquatic environment, category 1; Hazard to aquatic environment, category 1

Signal word                         Danger

Hazard Pictograms



Hazard Statements                H360, H373, H410  
May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

Precautionary Statements      P281, P260, P264, P270, P301+P312, P330  
Use personal protective equipment as required. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

### 15.2 Chemical safety assessment

Assessment not required.

## Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 07 June 2021

