

Part of **WF** Education Group

## **WF Book Returns**



### An easy way to return books

# For libraries and universities with a capacity of 100 to 250 books

Different models: singles or doubles

With easily manoeuvrable trolley wide handle, swivel wheels Ø 50 mm

> RETOUR DES PRETS

LIVRES

A service to users 24/7

CD DVD

WF

#### **Better comfort**

spring-loaded floating platform gradually lowers and rises

**Resistant to weather and vandalism** galvanized steel, epoxy powder coating



### Access management

locks: 2 per door and 1 per slot





### Wall models are also available

## How do you choose your model?

1.



Available only on shop.wf-education.com/libraries

### **Question checklist**

Depending on the answers, adopt the return box that suits you best!

What are my opening hours?

If you have limited openings hours then it is likely you will need a bigger model so you let your patrons return more books while you're closed.

Who uses your library most often? Students, families or those who work 9-5 may not be able to visit your library during opeing hours very often, so may rely on these book returns a lot. A bigger model would give them plenty of space to return everything!

What is the profile of my users? 100

How is my building laid out? If you don't have the space for one of our book returns, you could opt for a wall box which does the same job!







# Need a strong return box that stands up to any test?

Rain, wind, sun, heat, snow, cold... our WF book returns are resistant to any type of weather thanks to their composition in galvanized steel and their epoxy powder coating.

Am I subject to bad weather?



Could vandalism be a problem? Solid and secured by their locking system, it is impossible to open our WF book returns!

If you fear external deterioration, our single or duo wall boxes only show one slot.









## Your feedback!

### See what others think...

Find librarians feedback and testimonials about our WF book returns!

"It fits in perfectly with the service we provide our patrons. It's solid, modern looking, and blends perfectly with the architecture of our media library. We are delighted and our users are too!"



Arès media library



"The users have adopted it well, the returns box is always filled the day after we've been closed for the day. The 2 slots make it possible to accommodate separate materials so it's easy to organise afterwards"

**Vertou Library** 

# **3**. Choose your model

## WF 250 BOOK RETURN

Ideal for big libraries or universities with high attendance





### Solidity and resistance

 Book return material is 2mm CR4 Grade Steel with a zinc rich primer finish, powdered coated with epoxy polyester RAL9006R

### Security and reliability

- Anti-drill radial cam locks
- Roller chute system to guide the books in the cart

- Lettering included: LIBRARY RETURNS
- Dimensions: 1215mm (H) x 820mm (W) x 820mm (D)





## **WF Dual Book Cart**

Perfect for libraries with high attendance that need to separate different materials e.g. video games, books, DVDs...



### Solidity and resistance



 Book return material is 2mm CR4 Grade Steel with a zinc rich primer finish, powdered coated with epoxy polyester RAL9006R

### Security and reliability


- Anti-drill radial cam locks
- Roller chute system to guide the books in the cart



- Lettering included: BOOKS, CD/DVD and RETURN OF LOANS
- Dimensions: 1217mm (H) x 964mm
   (W) x 964mm (D)








## WF 100 Book Return Cart

Perfect for libraries with average traffic





### Solidity and resistance

 Book return material is 2mm CR4 Grade Steel with a zinc rich primer finish, powdered coated with epoxy polyester RAL9006R

### Security and reliability

- Anti-drill radial cam locks
- Roller chute system to guide the books into the trolley

- Lettering includes: RETURN OF LOANS
- Dimensions : 1215 mm (H) x 639 mm (W) x 640 mm (D)









## **Discover our wall models**

4.

## WF Wall mounted book return

Haven't got space outside for a cart? We'll build it into the wall for you!



**Compatible with WF 250 trolley and WF 100 trolley** 



#### Solidity and resistance

- Body in stainless steel DP 304 thickness - 1.2mm
- Facade in DP 304 stainless steel thickness - 2mm
- Smooth anti-graffiti coating

### Security and reliability

- Anti-drill radial cam locks
- Adjustable depth

#### Visibility

- Lettering: LIBRARY RETURNS
- Dimensions : 585 mm (H) x 703 mm (W)

LIBRARY




## WF Wall mounted dual book return

For your returns of books and CDS/DVDs



### **Compatible with the WF Duo trolley**



### Solidity and resistance

- Body in stainless steel DP 304 thickness - 1.2mm
- Facade in DP 304 stainless steel thickness 2mm
- Smooth anti-graffiti coating

### Security and reliability

• Anti-drill radial cam locks





- Lettering included: BOOKS, CD/DVD and BOOK RETURNS
- Dimensions: 585mm (H) x 831mm (W)

5.

# **Discover our individual trolleys**

## WF 250 book cart

Practical and handy for your book returns in libraries with high traffic



Compatible with WF 250 return box and WF single wall model






## Practicality and manoeuvrability

- Wide handle
- Spring plate with foam shock absorbing thickness 18mm
- 4 castors Ø 50 mm

### Solidity and resistance

- Carriage in CR4 steel thickness
  1.2mm
- RAL 9006 epoxy powder coating
- Dimensions: 891mm (H) x 810mm
   (W) x 820mm (D)



## WF Dual book cart

Practical and handy for your book, CD/DVD returns



### Compatible with WF Duo return box and WF Duo wall model



## Practicality and manoeuvrability

- Wide handle
- Spring plate with foam shock absorbing thickness
   18mm
- 4 castors Ø 50mm
- 2 compartments

### Solidity and resistance

- Carriage in CR4 steel thickness
  1.2mm
- RAL 9006 epoxy powder coating
- Dimensions: 891mm (H) x 810mm
   (W) x 820mm (D)



## WF 100 book cart

Practical and handy for your book returns



Compatible with the WF 100 book return and the WF single wall model





Practicality and manoeuvrability

- Wide handle
- Spring plate with foam shock absorbing thickness 18 mm
- 4 castors Ø 50 mm

### Solidity and resistance

- Carriage in CR4 steel thickness 1.2 mm
- RAL9006 epoxy powder coating
- Dimensions: 891mm (H) x 810mm (W) x 820mm (D)

